

# HSA updates on products found overseas that contain potent ingredients (December 2024)

The Health Sciences Authority (HSA) would like to update the public on products that have been found and reported by overseas regulators in December 2024 to contain potent ingredients which are not allowed in these products and may cause side effects. This information is provided to increase awareness on safety issues of such products found overseas, which may impact the local population. Please refer to Annex A and Annex B for the list of products and the possible side effects of the potent ingredients.

## HSA's Advisory

- 2 Members of the public are advised to:
  - Consult a doctor if you have consumed any of the products and are feeling unwell.
  - Avoid buying any of the products when abroad.
  - Exercise caution when purchasing health products online or from sources (either local or overseas) which you may not be familiar with, even if wellmeaning friends or relatives have recommended them. You cannot be certain where and how these products were made. They may be illegal, counterfeit or substandard, and may contain potent ingredients which can harm your health. If buying health products online, we encourage you to buy them from websites with an established retail presence in Singapore.
  - Be wary of products that promise quick and miraculous results or carry exaggerated claims like "100% safe", "no side effects" or "scientifically proven". Consumers should also be cautious of products that produce unexpected quick recovery of medical conditions.
  - Consult your doctor or pharmacist if you need help for the management of your acute and chronic medical symptoms and conditions (e.g. diabetes, hypertension, eczema).

3 Additionally, members of the public are encouraged to visit <u>https://www.hsa.gov.sg/consumer-safety/</u> to learn more about the dangers of buying health products from dubious sources.

4 Members of the public who come across the sale and supply of these products in Singapore may contact HSA's Enforcement Branch at Tel: 6866 3485 during office hours (Monday to Friday) or email: <u>hsa\_is@hsa.gov.sg</u>.

# Annex A

# List of Products

Note: There may be different versions or variants of the products listed below. You are advised to consult your doctor or pharmacist if you are unsure of any health product you intend to use, or if you need help for your acute and chronic medical symptoms and conditions

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
7K		Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Alien 2 Power Platinum 11000	Platinum A Bady to Get the Power of Alien State State O O O O O O O O O O O O O O O O O O O	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Alien Power Platinum 11000		Tadalafil (PDE-5 inhibitor)	Health Canada
Bang Maximum Power	ID HEADACHE All Nabural Igredents Entre Size Size Size Size Dans Size Compare Automatic Size Compare Automatic	Sildenafil (PDE-5 inhibitor)	Health Canada
Black Bull 10000K	RLACK EVILO IN. I SAFE	Paracetamol and Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Blue Rhino 1000K	ELEMENTE ILASTING ELEMENTE ILASTING MEROXOFIE ELEMENTE ILASTING MEROXOFIE ELEMENTE ILASTING ELEMENTE I	Sildenafil (PDE-5 inhibitor) and Mitragynine	Health Canada
Blue Rhino 5000K		Sildenafil (PDE-5 inhibitor)	Health Canada
Blue Rhino 20000K Trio	TRIC DUBLIC ALCONE TRIC TRI	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Dynamint X Tablets	<image/> <image/> <section-header></section-header>	Tadalafil (PDE-5 inhibitor)	Australia Therapeutic Goods Administration
Force Forever	THE MARKEN AND THE MA	Diclofenac and Dexamethasone	US Food and Drug Administration
Fouzee SugarLin Herbal Formula		Glyburide and Metformin	US Food and Drug Administration

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Gold Max Blue capsules	Pood Supplement 200 COULD DEUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE BUCE	Tadalafil (PDE-5 inhibitor)	Australia Therapeutic Goods Administration
Gold Rhino Extreme 1000K	REME COLORELASTING COLORELASTING DEFERICASTING	Tadalafil (PDE-5 inhibitor)	Health Canada
Ginseng Red 2000	TALE ENVEY ENHANCEMENT PORTUGATION CONTRACTOR PORTUGATION CONTRACTOR PORTUG	Sildenafil (PDE-5 inhibitor)	Health Canada
Hi-rize	<b>Distribution</b> Distribution Herbal Dietary Supplement 10 Capsules	Nortadalafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Jet Blue 998111	ERRERERE BREARERERE BREARERERE BREARERERE BREARERERE BREARERERERE BREARERERERERERERERERERERERERERERERERERE	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Kangaroo	Enter vaginasi Lutinication Better vaginasi Lutinication Lasts 72 Hours	Sildenafil (PDE-5 inhibitor)	Health Canada
Kangaroo Female Booster	Transferration Transferration	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Kangaroo Violet	KANGAROO VIOLET VIOLET IN YOUY	Sildenafil (PDE-5 inhibitor)	Health Canada
Lucky Guy 750K		Paracetamol, Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Lucky Guy Platinum 18000		Tadalafil (PDE-5 inhibitor)	United States Food and Drug Administration

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Magnum XXL 9800 (black capsules)	Status and a statu	Sildenafil (PDE-5 inhibitor)	Health Canada
Magnum XXL 1000K		Sildenafil (PDE-5 inhibitor)	Health Canada
Magnum XXL 20000K Trio		Levofloxacin (Fluoroquinolone) , Sildenafil (PDE- 5 inhibitor), Sibutramine and Phenolphthalein	Health Canada
Magnum XXL 500K	Poster Brand	Levodopa and Prasterone	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Makari De Suisse Active Intense Unify & Illuminate Dark Spot Corrector Serum	<text></text>	Clobetasol	United Kingdom Medicines and Healthcare Regulatory Agency
Maxman tablets	FREQUENT ERECTION APPARENT INCREASE         OF DURATION LONGER AND THICKER         OPPACE	Sildenafil (PDE-5 Inhibitor)	Australia Therapeutic Goods Administration
Natural MiracleZEN Platinum 70000	A REAR BOARD	Sildenafil and Tadalafil (PDE-5 inhibitors)	United States Food and Drug Administration

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Nhan Sam Tuyet Lien Truy Phong Hoan Capsules		Furosemide, Dexamethasone and Chlorpheniramine	United States Food and Drug Administration
Perfect PremierZEN Gold 19000	Plantation and a state	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Perfect PremierZEN Platinum 20000	President Zen	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Pink Pussycat	Hake your pusycab purver, a site a site site a site a site a site site	Hydroxythiohomo sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Pink Pussycat (bottle)	A CONTRACTOR OF	Acetaminophen and Sildenafil (PDE-5 inhibitor)	Health Canada
Pink Unicorn	PINE UNICORN Female Sexual Enhancer Female Sexual Enhancer	Sildenafil (PDE-5 inhibitor)	Health Canada
Platinum 10K		Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Platinum Rhino 500K	NEW COUR	Acetaminophen, Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Premier Love Platinum 22000		Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Premier Love Plus 24000		Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
ResErection (round bottle)		Metandienone (Anabolic Steroid)	Health Canada
Rhino 13 Extreme 500K	Extreme Source Extreme	Tadalafil (PDE-5 inhibitor)	Health Canada
Rhino 25 Titanium 500K	TIME STAMINA STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA CONCELLENCE STAMINA	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Rhino 25 Fast Platinum 25000	ELEMENT ELE	Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 69 Honey (pink)	RHINO CONTRACTOR	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Rhino 69 Platinum 700K	Platinum RHINO TIME SIZE STAMINA Capsule Days	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Rhino 69 Titanium 990K	RHINS 69	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
Rhino 69 250K	THRE SIZE STARKA	Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 69 6000K		Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 69 6000K Double Shot	RHING CON COUCES FIRE COUCES FIRE COUCES FIRE COUCES FIRE COUCES FIRE COUCES FIRE COUCES FIRE COUCES FIRE COUCES FIRE COUCES	Acetaminophen and Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Rhino 69 7000K	THE SECOND	Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 69 20000K	RHINO 69 20000K	Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 69 Platinum 700K	Platinum RHINO () () () () () () () () () ()	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Rhino 7 20000K Trio		Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 7 Platinum 10,000	REIRORATION CONTRACTOR	Tadalafil (PDE 5- inhibitor)	Health Canada
Rhino 7 Platinum 5000	REALING LISTIC	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Rhino 8 20000K Trio	TRICE CONTRACTOR CONTR	Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino 11 Extreme 500K	TIME SIZE STAMINA	Tadalafil (PDE 5- inhibitor)	Health Canada
Rhino 13 Extreme 500K	Extreme Source Extreme	Tadalafil (PDE 5- inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Rhino Rush 500 Trio 1000K	THE + SIZE + STAMINA	Sildenafil (PDE-5 inhibitor)	Health Canada
Rhino X	RK WITH ALCOHOL	Caffeine and Tadalafil (PDE-5 inhibitor)	Health Canada
Rhino XL Extreme 60000	BRICARI BRICARI CONCERNICO CONCERNICO CONCERNI	Tadalafil (PDE 5- inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
RIGIDRX	PACKAGING     PACKAGING <td>Tadalafil (PDE 5- inhibitor)</td> <td>United States Food and Drug Administration</td>	Tadalafil (PDE 5- inhibitor)	United States Food and Drug Administration
Şahmerdan Epimedyumlu Macun	Sahumerdan Sahumerdan ÖZEL URETIM Spimedyumla Tationitiganent Maccun Maccun	Sildenafil (PDE-5 inhibitor)	Health Canada
Sausando cellulite pills	<complex-block></complex-block>	Furosemide and Sibutramine	Thailand Food and Drug Administration

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Sensuva ON – Sex Drive for Him	SEX DRIVE BOR HIM LIBIDO PARA ÉL LE LIBIDO POUR LUI LIBIDO FUR IHN	DHEA	Health Canada
Sexual Performance Supplement	<image/>	Sildenafil (PDE-5 inhibitor)	Health Canada
Spanish Fly 20,000	TIME A+ SIZE + STAMINA SPRANDSH DD 20,000 14 10 10 10 10 10 10 10 10 10 10 10 10 10	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Stiff Rox	STARSE BREAK SALE DECEMBER DEC	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
The Goat	CONCERNENT OF ALL TIME LONGER THEIR GREATEST OF ALL TIME LONGER THEIR GREATEST OF ALL TIME MARDER THEIR GREATEST OF ALL TIME HARDER THEIR GREATEST OF ALL TIME	Sildenafil (PDE-5 inhibitor)	US Food and Drug Administration
Tian Ma Tu Chung Seven Leave Ginseng		Diclofenac, Terbinafine and Paracetamol	Hong Kong The Department of Health

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Titanium 12K		Sildenafil (PDE-5 inhibitor)	Health Canada
Titanium 12K T12K		Tadalafil (PDE-5 inhibitor) and Dapoxetine	Health Canada
Titanium 4000	Image: state in the	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
Titanium 4000+	NEW PACKAGING MARLE ENRANCEMENT PLUS ENRON 4000+ 4000+ - - - - - - - - - - - - - - - - - -	Sildenafil (PDE-5 inhibitor)	Health Canada
The Green Giant	GREEN GRANCE GREEN GRANCE SIZE STAUTO NO HEADACHES FAST ACTING * LONG LASTING	Sildenafil and Tadalafil (PDE-5 inhibitors)	Health Canada
VIP Go Rhino Gold 69K	NEW COLD GOLD GOLD GOLD GOLD GOLD GOLD GOLD G	Sildenafil (PDE-5 inhibitor)	Health Canada

Name of product	Picture of product	Potent ingredient(s)	Source (Regulatory Agency)
WILDMAN	<section-header></section-header>	Sildenafil, Tadalafil (PDE-5 inhibitors), Sibutramine, Desmethyl sibutramine and Phenolphthalein	US Food and Drug Administration
X3 500K GOLD EDITION	EXPLOSIVE POWER EXPLOSIVE POWER ECOLO ECOL	Sildenafil, Tadalafil (PDE-5 inhibitors)	US Food and Drug Administration

# Annex B

#### The possible side effects of the potent ingredients

#### Acetaminophen / Paracetamol

Acetaminophen or paracetamol is used for relieving pain, headache and fever. Products which contain acetaminophen or paracetamol, but do not have this declared on the label, pose a danger to consumers as accidental overdose can result in liver damage.

#### Anabolic steroids

Anabolic steroids are not approved for use to increase muscle mass or boost athletic performance. Taking such medication without medical supervision can be dangerous as they can cause serious side effects such as insomnia, irritability, aggressive behaviour, hypertension, liver cancer, development of prominent breasts in men and impotence. In women, they can cause male characteristics such as an increase in facial hair growth, male pattern baldness, deepening of the voice and menstrual irregularities. Examples of anabolic steroids are Boldenone undecylenate, Drostanolone propionate, Methandrostenolone (Metandienone), Nandrolone decanoate, Oxandrolone and Testosterone compounds.

## Caffeine

The inappropriate use of caffeine may lead to insomnia, agitation, restlessness, palpitations, and increased heart rate.

#### Chlorpheniramine

Chlorpheniramine is an antihistamine used to relieve allergic reactions such as hives and rhinitis. It should be used under medical supervision. Side effects from the use of chlorpheniramine include drowsiness, blurred vision, vomiting, constipation and poor coordination.

#### Clobetasol propionate

Clobetasol propionate is a potent steroid that is usually prescribed for inflammatory conditions and should only be used under strict medical supervision. Common side effects include skin irritation, pimples, redness and dry skin. Long term use without medical supervision can cause an increased risk of infections, allergic reactions and Cushing's syndrome (characterised by the appearance of round face or 'moon face' and upper body obesity with thin limbs).

#### Dapoxetine

Dapoxetine is a prescription medicine used to treat conditions including depression and eating disorders, and it should be used under medical supervision. The use of dapoxetine has been associated with side effects including headaches, insomnia, palpitations and dizziness.

#### Dehydroepiandrosterone (DHEA) – also known as Prasterone

Dehydroepiandrosterone (DHEA) is a hormone that could increase the risk of prostate, breast, ovarian and other hormone-sensitive cancers. Side effects may include serious cardiovascular disease, changes in fertility and sperm production, hair loss, voice deepening, insulin resistance, changes in menstrual pattern, liver dysfunction, abdominal pain, and high blood pressure.

#### Diclofenac

Diclofenac is a potent painkiller and may potentially cause cardiovascular events such as heart attacks and strokes, as well as serious gastric bleeding, when used for a prolonged period. It should be used under close medical supervision, especially in patients with underlying heart conditions, stomach bleeding and ulceration.

#### Frusemide / Furosemide

Frusemide is a prescription medicine used to eliminate water and salt from the body and should be used under medical supervision. The side effects associated with its use include loss of appetite and low blood pressure. When taken in excess, the 'water-eliminating' effect of frusemide can cause the depletion of sodium, chloride, body water and other minerals in the body.

## Glibenclamide / Glyburide

Glibenclamide is a prescription medicine used to treat diabetes mellitus and should be used under medical supervision. Inappropriate use of glibenclamide without medical supervision may cause severe low blood glucose which can cause seizures or coma. Other side effects may include nausea, vomiting, diarrhoea and cholestatic jaundice.

#### Levodopa (L-Dopa)

Levodopa is a prescription medicine used in the treatment of Parkinson's Disease and should be used under medical supervision. Levodopa may potentially interact with medicines used to treat high blood pressure. Side effects of levodopa may include low blood pressure, irregular heart rate and breathing abnormalities.

#### Fluoroquinolones

Fluoroquinolones are antibiotics used to treat bacterial infections. They are prescription medicines and should be used under medical supervision. Common side effects include nausea, vomiting, diarrhoea and rash. Severe side effects include an increased risk of tendon rupture, hallucinations and nerve damage. Examples include ciprofloxacin and levofloxacin.

# Metformin

Metformin is a prescription medicine for the treatment of diabetes and should be used under medical supervision. Common side effects include diarrhoea, nausea and abdominal pain. An overdose can cause severe hypoglycemia or lactic acidosis, which can be fatal.

#### Paynantheine and Mitragynine - Kratom (Mitragyna speciosa) alkaloids

Paynantheine and mitragynine are alkaloids of Kratom or *Mitragyna speciose*. The use of kratom has been associated with respiratory depression or decreased breathing, seizure, addiction and psychosis. Other side effects include high heart rate and blood pressure, trouble sleeping, and liver toxicity. When use is stopped, withdrawal symptoms may occur. Deaths have been reported with kratom both by itself and mixed with other substances.

#### Phosphodiesterase Type 5 (PDE-5) inhibitors

This class of medicine includes avanafil, carbodenafil, sildenafil, tadalafil, vardenafil and their derivatives. These medicines can cause serious side effects such as strokes, heart attacks, decreased or loss of vision and hearing and priapism (painful and exceedingly long erections). If priapism is not treated immediately, it may lead to permanent impotence. PDE-5 inhibitors are also not suitable for patients with medical conditions such as certain heart-related problems or who are on heart medications such as nitrates. Deaths of patients found to be using sildenafil while on nitrates have been reported overseas.

#### Phenolphthalein

Phenolphthalein may cause kidney disorders and has been found in animal studies to be associated with cancer. It may also cause breathing difficulties, rashes and abdominal cramps.

#### Sibutramine / Desmethyl sibutramine / Benzyl sibutramine

Sibutramine, previously a prescription weight loss medicine used in the treatment of obesity, has been disallowed for sale in Singapore since 2010 due to increased risk of heart attacks and strokes. The use of sibutramine has been associated with serious side effects, including high blood pressure, irregular heartbeats, hallucinations, and mood swings.

Desmethyl sibutramine and Benzyl sibutramine are like sibutramine and may have similar side effects.

#### Terbinafine

Terbinafine is a medicine used to treat fungal infections. Side effects associated with inappropriate use of creams containing terbinafine include skin peeling, itching, redness, and burning.